

Attestation of Compliance

Reference No. : LCSB01226010E

Applicant : Shenzhen Yiholight Co.,Ltd
15176, Haowei Technology Building, No.2 Keji South 8th Road,

Address : Hi-tech Park, Yuehai Street, Nanshan District, Shenzhen,
Guangdong

Product : LED Strip

Trade Mark : yiholight

Model(s) : SEE ANNEX I

Tested according to : EN IEC 55015:2019+A11:2020
EN IEC 61547:2023

Report No. : LCSB01226010E


The submitted products have been tested by us with the listed standards.

This Attestation of Compliance is issued according to the council Directive 2014/30/EU, Referred to as the Electromagnetic Compatibility. It confirms that the listed product complies with all essential requirements of the EMC directive and applies only to the sample and its technical documentation submitted to Shenzhen Southern LCS Compliance Testing Co., Ltd. for testing.

After preparation of the necessary technical documentation as well as the EC conformity declaration the required CE marking can be affixed on the product. Other relevant Directives have to be observed.



Date of issue: January 31, 2026



Manager / DM Gu



Attestation of Compliance

ANNEX I:

Reference No. : LCSB01226010E

Model(s) :

Model	Voltage DC(V)	Max. Power (W/M)	LEDs/m	PCB width	LED type
YH-DE28L30V1208-W	12	6	30	8mm	2835
YH-DE28L30V2408-W	24	6	30	8mm	2835
YH-DE28L60V1208-W	12	12	60	8mm	2835
YH-DE28L60V2408-W	24	12	60	8mm	2835
YH-DE28L60V1210-W	12	12	60	10mm	2835
YH-DE28L60V2410-W	24	12	60	10mm	2835
YH-DE28L84V1210-W	12	16.8	84	10mm	2835
YH-DE28L84V2410-W	24	16.8	84	10mm	2835
YH-DE28L120V1205-W	12	14.4	120	5mm	2835
YH-DE28L120V2405-W	24	14.4	120	5mm	2835
YH-DE28L120V1208-W	12	19.2	120	8mm	2835
YH-DE28L120V2408-W	24	19.2	120	8mm	2835
YH-DE28L120V1210-W	12	24	120	10mm	2835
YH-DE28L120V2410-W	24	24	120	10mm	2835
YH-DE28L140V2410-W	24	24	140	10mm	2835
YH-DE28L144V2415-W	24	28.8	144	15mm	2835
YH-DE28L180V2410-W	24	24	180	10mm	2835
YH-DE28L240V2410-W	24	24	240	10mm	2835
YH-DC28L30V1208-W	12	6	30	8mm	2835
YH-DC28L30V2408-W	24	6	30	8mm	2835
YH-DC28L60V1205-W	12	10	60	5mm	2835
YH-DC28L60V2405-W	24	10	60	5mm	2835
YH-DC28L60V1208-W	12	12	60	8mm	2835
YH-DC28L60V2408-W	24	12	60	8mm	2835
YH-DC28L60V1210-W	12	12	60	10mm	2835



Attestation of Compliance

YH-DC28L60V2410-W	24	12	60	10mm	2835
YH-DC28L70V2410-W	24	12	70	10mm	2835
YH-DC28L84V1208-W	12	16.8	84	8mm	2835
YH-DC28L84V1210-W	12	16.8	84	10mm	2835
YH-DC28L84V2410-W	24	16.8	84	10mm	2835
YH-DC28L98V2408-W	24	16.8	98	8mm	2835
YH-DC28L120V1205-W	12	14.4	120	5mm	2835
YH-DC28L120V2405-W	24	14.4	120	5mm	2835
YH-DC28L120V1206-W	12	16.8	120	6mm	2835
YH-DC28L120V2406-W	24	16.8	120	6mm	2835
YH-DC28L120V1208-W	12	19.2	120	8mm	2835
YH-DC28L120V2408-W	24	19.2	120	8mm	2835
YH-DC28L120V1210-W	12	24	120	10mm	2835
YH-DC28L120V2410-W	24	24	120	10mm	2835
YH-DC28L140V2405-W	24	14.4	140	5mm	2835
YH-DC28L140V2410-W	24	24	140	10mm	2835
YH-DC28L144V2415-W	24	28.8	144	15mm	2835
YH-DC28L168V1206-W	12	10	168	6mm	2835
YH-DC28L168V2406-W	24	10	168	6mm	2835
YH-DC28L168V2420-W	24	20	168	20mm	2835
YH-DC28L180V2405-W	24	14.4	180	5mm	2835
YH-DC28L180V2408-W	24	14.4	180	8mm	2835
YH-DC28L180V2410-W	24	24	180	10mm	2835
YH-DC28L182V2410-W	24	24	182	10mm	2835
YH-DC28L240V2410-W	24	24	240	10mm	2835
YH-DH28L64V2410-W	24	9.6	64	10mm	2835
YH-DH28L80V2410-W	24	12	80	10mm	2835
YH-DH28L128V2410-W	24	18	128	10mm	2835
YH-DH28L160V2410-W	24	21	160	10mm	2835
YH-DD20L60V1208-W	12	4.8	60	8mm	2010
YH-DD20L60V2408-W	24	4.8	60	8mm	2010
YH-DD20L120V1208-W	12	9.6	120	8mm	2010
YH-DD20L120V2408-W	24	9.6	120	8mm	2010
YH-DD20L240V2404-W	24	10	240	4mm	2010



Attestation of Compliance

YH-DD20L240V2410-W	24	19.2	240	10mm	2010
YH-DD20L280V2410-W	24	19.2	280	10mm	2010
YH-DD20L300V2410-W	24	20	300	10mm	2010
YH-DD20L420V2410-W	24	20	420	10mm	2010
YH-DD20L560V2410-W	24	20	560	10mm	2010
YH-DD20L700V2410-W	24	20	700	10mm	2010
YH-DD20L720V2410-W	24	20	720	10mm	2010
YH-DD20L720V2408-W	24	20	720	8mm	2010
YH-DBL480V1204-W	12	5	480	4mm	COB
YH-DBL480V2404-W	24	5	480	4mm	COB
YH-DBL480V1208-W	12	15	480	8mm	COB
YH-DBL480V2408-W	24	15	480	8mm	COB
YH-DBL480V1210-W	12	15	480	10mm	COB
YH-DBL480V2410-W	24	15	480	10mm	COB
YH-DBL512V2408-W	24	15	512	8mm	COB
YH-DBL512V2410-W	24	15	512	10mm	COB

Demonstration:

The final "W" denotes the light color, and can be WW=Warm White, NW=Natural White, W=White.

